

SPILL CONTAINMENT

ULTRA-UTILITY TRAYS®

Keep messy drips and spills off warehouse and factory floors UltraTech's Ultra-Utility Trays are engineered with heavy-duty polyethylene and designed to contain liquid spilled or leaked from containers. A ribbed platform on the bottom of the tray helps keep cans, pails and other containers out of smaller spills.

Practical Applications Include:

- Storing oil cans or other liquid-holding containers.
- Spill containment for leaky machine parts or equipment.
- Placement under trucks or other large vehicles to leaks / spills from engines, hydraulics, or other lubricated parts.



SKU	Dimensions, in. (mm)	MPN	Containment Capacity, USG (L)	Weight, lbs (kg)	Availability
PSP600-040	12" x 48" x 4.75" (610 x 610 x 10)	ULT 1031	12 USG (45 L)	7 (3.5)	A
PSP600-041	24" x 48" x 4.75" (610 x 1219 x 121)	ULT 1032	24 USG (91 L)	11 (5.0)	A
PSP600-042	30" x 48" x 4.75" (762 x 1219 x 121)	ULT 1033	30 USG (113 L)	12 (5.5)	A
PSP600-043	24" x 36" x 4.75" (610 x 914 x 121)	ULT 1034	18 USG (68 L)	8 (3.5)	A
PSP600-044	36" x 36" x 4.75" (914 x 914 x 121)	ULT 1035	27 USG (102 L)	11 (5.0)	A
PSP600-045	40" x 48" x 3.5" (1016 x 1219 x 89)	ULT 1036	30 USG (113 L)	14 (6.5)	A



A Very Common Item - Good Stock

B Common Item - Moderate Stock

C Less Common Item - Call for Availability

SPILL CONTAINMENT

ULTRA-SPILL PALLETS

Spill Containment Pallets protect against chemical spills or leaks

The Ultra-Spill Pallet is specially constructed to support heavy loads and designed to be easily used and transported. Its 100% Polyethylene construction makes it compatible with a wide range of chemicals, while its low-rise walls give more accessibility for pouring.

Helps meet spill containment regulations for up to four drums and comply with SPCC and EPA spill containment requirements.

Constructed with the "The Cross of Life" Design

UltraTech Spill Containment Pallets are constructed with an innovative design called "The Cross of Life", which protects the Pallet's structural integrity while bearing a heavy load over time. As more weight is applied to the top of the pallet, the cross pulls the all-polyethylene sides towards the centre, instead of allowing them to sag outward.



PSP300-092



PSP300-051



PSP300-071

SKU	Description	Dimensions, in. (mm)	MPN	Containment Capacity, USG (L)	Availability
PSP300-092	P2 Pallet (2 drum), with drain	53" x 29" x 16.5" (1347 x 737 x 420)	ULT 1011	66 USG (250 L)*	B
PSP300-051	P4 Pallet (4 drum), with drain	53" x 53" x 11.75" (1347 x 1347 x 299)	ULT 1001	66 USG (250 L)**	B
PSP300-071	P4 ramp – non slip, PE and steel	56" x 29" x 8.75" (1410 x 724 x 305) UDL 700 lbs (318 kg)	ULT 0676	N/A****	B

* P2 Pallet has Uniformly Distributed Load (UDL) of 3,000 lbs (1361 kg). Unit weight 63 lbs (29 kg)

** P4 Pallet has Uniformly Distributed Load (UDL) of 6,000 lbs (2722 kg). Unit weight 90 lbs (41 kg)

A Very Common Item - Good Stock **B** Common Item - Moderate Stock **C** Less Common Item - Call for Availability

SPILL CONTAINMENT

ULTRA-SPILL PALLETS: ECONOMY MODEL

Ultra-Spill Pallet Economy Models have been developed specifically to meet tight budgets for spill containment products.

- 2-drum and 4-drum spill pallet models available.
- Applications for the all-polyethylene units include satellite waste collection and storage of virgin chemicals.
- Black color helps hide dirt and grime.
- Removable grating - makes clean-up quick and easy.
- Meets SPCC and EPA Container Storage Regulation 40 CFR 264,175 Spill Containment Regulations.
- **The first recycled spill pallet on the market**



PSP300-038



PSP300-002

SKU	Description	Dimensions, in. (mm)	MPN	Containment Capacity, USG (L)	Availability
PSP300-038	P2 Economy (2 drum), with drain	53" x 29" x 16.5" (1347 x 737 x 420)	ULT 2505	66 USG (250 L)*	A
PSP300-002	P4 Economy (4 drum), with drain	53" x 53" x 11.75" (1347 x 1347 x 299)	ULT 1001	66 USG (250 L)**	A

* P2 Economy Pallet has Uniformly Distributed Load (UDL) of 1,500 lbs (681 kg). Unit weight 63 lbs (29 kg)

** P4 Economy Pallet has Uniformly Distributed Load (UDL) of 3,000 lbs (1361 kg). Unit weight 85 lbs (39 kg)

A Very Common Item - Good Stock **B** Common Item - Moderate Stock **C** Less Common Item - Call for Availability

SPILL CONTAINMENT

ULTRA-SPILL PALLETS: PLUS MODEL

Combine high strength and low-profile features while meeting EPA container storage regulations.

- Low 8 ¾" profile positions drum funnels below eye level – significantly reduces the potential for hazardous fluids to splash into the eyes or face.
- Nearly 50% lower than standard spill pallets, drum handling is safer and less strenuous.
- Removable grates feature a non-slip surface.
- Superior weight capacity of the 4-drum model also allows use with IBCs.



PSP300-020



PSP300-069



PSP300-070



PSP300-071

SKU	Description	Dimensions, in. (mm)	MPN	Containment Capacity, USG (L)	Availability
PSP300-020	P1 Plus (1 drum), with drain	40" x 40" x 12" (1016 x 1016 x 305)	ULT 9607	62 USG (235 L)*	B
PSP300-069	P2 Plus (2 drum), with drain	66" x 40" x 8.75" (1664 x 1016 x 222)	ULT 9611	66 USG (250 L)**	B
PSP300-094	P3 Plus (3 drum), with drain	83" x 34.5" x 8.75" (2108 x 876 x 222)	ULT 9627	66 USG (250 L)***	B
PSP300-070	P4 Plus (4 drum), with drain	62" x 62" x 8.75" (1575 x 1575 x 222)	ULT 9631	74 USG (284 L)***	B
PSP300-071	P2, P3, P4 ramp – non slip, PE and steel	56" x 29" x 8.75" (1410 x 724 x 305) UDL 700 lbs (318 kg)	ULT 0676	N/A****	B

* P1 Plus has Uniformly Distributed Load (UDL) of 800 lbs (363 kg). Unit weight 51 lbs (23 kg)

** P2 Plus has Uniformly Distributed Load (UDL) of 4,500 lbs (2041 kg) . Unit weight 88 lbs (40 kg)

** P3 Plus has Uniformly Distributed Load (UDL) of 4,500 (2,041 kg). Unit weight 90.0 (41.0 kg)

** P4 Plus has Uniformly Distributed Load (UDL) of 9,000 lbs (4,082 kg). Unit weight 140 lbs (64 kg)

A Very Common Item - Good Stock **B** Common Item - Moderate Stock **C** Less Common Item - Call for Availability

SPILL CONTAINMENT

ULTRA-HARD TOPS

Safely store drums, tanks, totes and other containers outdoors. Polyethylene storage units keep the elements out and prevent unauthorized access.



Hard Tops - P1 Plus



Hard Tops - P2 Plus



Hard Tops - P4 Plus



Hard Tops - Plus Models



Hard Tops - P2



Hard Tops - P4



Hard Tops - IBC



Hard Tops - Twin IBC



Hard Tops - Modular IBC's

SECONDARY CONTAINMENT

FOAM SIDE WALL BERMS (FSW)

These collapsible secondary containment berms can be used to contain spills and leaks from vehicles, machinery, tanks, drums and other industrial equipment.

- RF welded construction made from heavy duty industrial fabrics.
- Lightweight, flexible, compact – folds up for storage.
- Simple and easy to clean and maintain, re-usable. Not set up – unfold and use immediately!

Part Number	L x W x H	Capacity (90%)	Shipping Weight	*	Availability
PSP200-1007	24" x 24" x 4"	34 L (9 USG)	1.1 kg (2.4 lbs)	●	A
PSP200-1008	24" x 24" x 4"	34 L (9 USG)	1.4 kg (3.0 lbs)	●	C
PSP200-1009	24" x 24" x 4"	34 L (9 USG)	1.5 kg (3.2 lbs)	●	A
PSP200-1010	24" x 24" x 6"	51 L (14 USG)	1.3 kg (2.9 lbs)	●	A
PSP200-1011	24" x 24" x 6"	51 L (14 USG)	1.6 kg (3.6 lbs)	●	C
PSP200-1012	24" x 24" x 6"	51 L (14 USG)	1.7 kg (3.8 lbs)	●	A
PSP200-1013	36" x 36" x 4"	77 L (20 USG)	1.7 kg (3.8 lbs)	●	A
PSP200-1014	36" x 36" x 4"	77 L (20 USG)	2.2 kg (4.8 lbs)	●	C
PSP200-1015	36" x 36" x 4"	77 L (20 USG)	2.3 kg (5.1 lbs)	●	A
PSP200-1016	36" x 36" x 6"	115 L (31 USG)	2.0 kg (4.4 lbs)	●	A
PSP200-1017	36" x 36" x 6"	115 L (31 USG)	2.5 kg (5.5 lbs)	●	C
PSP200-1018	36" x 36" x 6"	115 L (31 USG)	2.7 kg (5.9 lbs)	●	A
PSP200-1019	48" x 48" x 4"	136 L (36 USG)	2.5 kg (5.5 lbs)	●	A
PSP200-1020	48" x 48" x 4"	136 L (36 USG)	3.2 kg (7.0 lbs)	●	C
PSP200-1021	48" x 48" x 4"	136 L (36 USG)	3.4 kg (7.4 lbs)	●	A
PSP200-1022	48" x 48" x 6"	204 L (54 USG)	2.9 kg (6.4 lbs)	●	A
PSP200-1023	48" x 48" x 6"	204 L (54 USG)	3.6 kg (7.9 lbs)	●	C
PSP200-1024	48" x 48" x 6"	204 L (54 USG)	3.8 kg (8.4 lbs)	●	A



Folds Up For Compact Storage



Custom Silkscreening Available



3 Fabric Options To Choose From

- * ● Black – 30 oz Chem Resistant ● Orange 28 oz PVC
 ● Yellow 22 oz PVC



A Very Common Item - Good Stock

B Common Item - Moderate Stock

C Less Common Item - Call for Availability

SECONDARY CONTAINMENT

L-ROD BERMS

These L-Rod secondary containment berms are fully collapsible, and can be rapidly deployed. Aluminum L-rods are used at regular intervals to support the walls of the berms, but are easily folded to allow for entry/exit of vehicles or machinery.

- RF welded construction made from 30 oz/yd² (1020 gsm) Chemical & Hydrocarbon Resistant polyester fabric, black.
- Aluminum L-Rods used to support the berm walls, but easily foldable for entry / exit and for storage.
- Simple and easy to clean and maintain, re-usable.

Part Number	L x W x H	Capacity (90%)	Shipping Weight	*	Availability
PSP200-3001	10' x 10' x 6"	1275 L (340 USG)	15 kg (33 lbs)	●	C
PSP200-3002	10' x 15' x 6"	1915 L (510 USG)	21 kg (46 lbs)	●	C
PSP200-3003	8' x 12' x 12"	2450 L (650 USG)	19 kg (41 lbs)	●	C
PSP200-3004	8' x 8' x 12"	1630 L (430 USG)	14 kg (31 lbs)	●	B
PSP200-3005	8' x 10' x 12"	2040 L (540 USG)	16 kg (36 lbs)	●	C
PSP200-3006	10' x 10' x 12"	2550 L (675 USG)	19 kg (42 lbs)	●	A
PSP200-3007	10' x 15' x 12"	3825 L (1010 USG)	26 kg (57 lbs)	●	B
PSP200-3008	10' x 20' x 12"	5100 L (1350 USG)	33 kg (73 lbs)	●	C
PSP200-3009	15' x 15' x 12"	5740 L (1520 USG)	35 kg (78 lbs)	●	C
PSP200-3010	20' x 20' x 12"	10200 L (2695 USG)	57 kg (125 lbs)	●	C
PSP200-3011	8' x 8' x 15"	2040 L (540 USG)	16 kg (34 lbs)	●	C
PSP200-3012	8' x 10' x 15"	2550 L (675 USG)	18 kg (40 lbs)	●	C
PSP200-3013	8' x 15' x 15"	3825 L (1010 USG)	25 kg (54 lbs)	●	C
PSP200-3014	10' x 10' x 15"	3190 L (845 USG)	21 kg (47 lbs)	●	C
PSP200-3015	10' x 15' x 15"	4780 L (1265 USG)	29 kg (63 lbs)	●	C
PSP200-3016	10' x 20' x 15"	6375 L (1685 USG)	36 kg (79 lbs)	●	C
PSP200-3017	15' x 20' x 15"	9565 L (2530 USG)	48 kg (106 lbs)	●	C
PSP200-3018	20' x 20' x 15"	12750 L (3370 USG)	60 kg (133 lbs)	●	C

* ● Black – 30 oz Chem Resistant

A Very Common Item - Good Stock

B Common Item - Moderate Stock

C Less Common Item - Call for Availability



Fold Down L-Rods For Easy Entry / Exit



6, 12, or 15 Inch High Berm Sidewalls



Rapidly Set Up With No Tools



SECONDARY CONTAINMENT

RAPID RISE BERM

This specialized berm allows for easy entry and exit of vehicles or equipment. Sidewalls remain down during normal operations, loading and unloading. Vehicles and equipment can drive in and out with no set-up or take-down required. In the case of a spill, the foam ring around the top perimeter of the berm rises with the level of the spilled liquid.



- Fully welded construction made from 28 oz/yd² (950 gsm) COPOLYMER 2000 fabric, black.
- Lays flat until spill occurs – then foam ring around top perimeter will rise with fluid level.
- No tripping hazards, simple and easy to deploy, clean and maintain.
- 12 inch high walls provide high storage volume (up to triple capacity of similar footprint foam side wall berms).

Part Number	L x W x H	Capacity (90%)	Shipping Weight	*	Availability
PSP200-4014	4' x 6' x 1'	680 L (180 USG)	13 kg (29 lbs)	●	C
PSP200-4015	6' x 6' x 1'	1,020 L (270 USG)	16 kg (35 lbs)	●	C
PSP200-4016	10' x 10' x 1'	2,830 L (750 USG)	29 kg (63 lbs)	●	C
PSP200-4017	12' x 26' x 1'	8,830 L (2,335 USG)	68 kg (149 lbs)	●	C
PSP200-4018	15' x 50' x 1'	21,235 L (5,610 USG)	127 kg (278 lbs)	●	C
PSP200-4019	15' x 66' x 1'	28,030 L (7,405 USG)	162 kg (357 lbs)	●	C



Drive In / Out, No Set Up



Foam Ring Rises With Liquid Level



Simple and Easy to Deploy

* ● Black – Copolymer 2000



12" & 15" sidewalls
sizes available



Custom sizes &
configurations available
upon request



Epa Clean Water Act
Regulation 40 Cfr 112.7
+ 264.175



Custom logo /
silk-screening available



Optional drain fittings
and handles

A Very Common Item - Good Stock

B Common Item - Moderate Stock

C Less Common Item - Call for Availability

SECONDARY CONTAINMENT

COMPACT WALL BERM

This specialized berm is compact, lightweight, and portable

– it features struts in sleeves along the sidewall.

- Fully welded construction made from 28 oz/yd² (950 gsm) COPOLYMER 2000 fabric, black.
- Berm sidewall struts are permanently attached, no parts to misplace or lose.
- Compact design, rolls up for easy storage on trucks / hazmat vehicles.
- 12 inch high walls provide high storage volume (up to triple capacity of similar footprint foam side wall berms).



Part Number	L x W x H	Capacity	Shipping Weight	*	Availability
PSP200-4020	4" x 6" x 1"	680 L (180 USG)	13 kg (29 lbs)	●	C
PSP200-4021	6" x 6" x 1"	1,020 L (270 USG)	16 kg (35 lbs)	●	C
PSP200-4022	10" x 10" x 1"	2,830 L (750 USG)	29 kg (63 lbs)	●	C
PSP200-4023	12" x 60" x 1"	20,380 L (5,385 USG)	140 kg (309 lbs)	●	C
PSP200-4024	15" x 50" x 1"	21,235 L (5,610 USG)	127 kg (278 lbs)	●	C
PSP200-4025	15" x 66" x 1"	28,030 L (7,405 USG)	162 kg (357 lbs)	●	C



Easy Assembly, No Tools Required



Compact Size for Easy Storage



On Site Spill Containment

* ● Black - Copolymer 2000



A Very Common Item - Good Stock

B Common Item - Moderate Stock

C Less Common Item - Call for Availability